APPLICANT(S): BIEBER, Avigdor et al. SERIAL NO.: 10/519.478

FILED:

December 30, 2004

Page 2

AMENDMENTS TO THE CLAIMS

Please amend the following claim. This listing of claims will replace all prior versions and listings of claims in the application:

Listing of the Claims

- (Currently Amended) A lithographic printing member comprising:
 - a base layer:

a laser-absorbing layer over said base layer, wherein said laser-absorbing layer has a gradient solid dispersion of metal and metal-oxide, forming varying concentration ratios of the metal and the metal-oxide throughout a thickness of said laser-absorbing layer, wherein the concentration ratio of the metal to metal oxide within the laser-absorbing layer is higher than the concentration ratio of the metal to metal oxide at both edges of the laser-absorbing layer so that less laser energy is needed for ablating the laser-absorbing layer than what would be needed for ablating a laser-absorbing layer not having the gradient of concentration ratios but having about the same thickness and constituents than that of the layer-absorbing layer without—a gradient of concentration ratios; and

a coating layer over said laser-absorbing layer, said coating layer and said base layer having different affinities for ink.

wherein said printing member is capable of being imaged such that selective areas of said coating layer and of said laserabsorbing layer are removed to expose said base layer.

(Original) The printing member of claim 1, wherein the metal is aluminum and the metal—oxide is aluminum-oxide. APPLICANT(S): BIEBER, Avigdor et al.

SERIAL NO.: 10/519,478

FILED: December 30, 2004

Page 3

(Previously Presented) The printing member of claim 1, wherein at least some areas within the laser-absorbing layer have a nonstoichiometric ratio between the metal of the metal-oxide and the oxygen such that there are more metal atoms than the stoichiometric ratio

- (Original) The printing member of claim 3, wherein the nonstoichiometric ratio varies throughout the thickness of said laserabsorbing layer.
- (Previously Presented) The printing member of claim 4, wherein the non-stoichiometric ratio is bi-directional.
- (Original) The printing member of claim 1, wherein the thickness of said laser-absorbing layer is in the range between 0.02 to 0.6 microns
- (Canceled).
- (Original) The printing member of claim 1, wherein said coating layer is an ink-repelling layer.
- (Original) The printing member of claim 1, wherein said coating layer comprises an ultraviolet curable material.
- 10. (Original) The printing member of claim 1 further comprising:
 - a form film over said coating layer.
- (Original) The printing member of claim 10, wherein said form film is a polymeric film with low surface energy.

APPLICANT(S): BIEBER, Avigdor et al.

SERIAL NO.: 10/519,478

FILED: December 30, 2004

Page 4

12. (Original) The printing member of claim 1 further comprising:

a primer layer over said laser-absorbing layer.

13 - 23. (Canceled)

 (Previously Presented) The printing member of claim 1, wherein said base layer comprises ink-accepting oleophilic properties.

 (Previously Presented) The printing member of claim 1, wherein said base layer comprises polyvinylchloride, polycarbonate or polyethylene terephthalate.

 (Previously Presented) The printing member of claim 1, wherein said coating layer comprises silicone epoxy oligomer or silicone acrylate oligomer.

27. (Canceled)